

COMPARISON BOOKLET

CONFIDENTIAL



MONTEGO **TOPS** TEMPEST CUSTOM



Tempest Custom "S"

(2-Door Hardtops)

RED LETTER **EVALUATION**

Montego is \$66 less than Tempest Custom "S" on a comparably equipped basis. Other Montego advantages include:



In 1969, Montego leads the way with 11 models in 6 different series—a choice of 2 hardtop roof lines, a 3-seat station wagon with or without yachtdeck styling, plus Brougham models.



Broader range of V-8 power with highest horsepower rating for top V-8.



Select-Shift automatic transmission is a more flexible transmission because it offers a choice of automatic or manual shifting.



Continental-inspired luxury car styling in the intermediate line offers Montego increased prestige at a low price.



More luxurious interior styling and decor.



More standard comfort and convenience features add up to greater Montego values at a lower price.



Solid unit-body, heavily insulated, provides a quieter, vibration-free ride.



Superior suspension system provides a smoother ride.

PRICE COMPARISON

(Manufacturer's Suggested Retail Price)

| MONT | EG0 | | TEMPEST USTOM "S" |
|------------|------------------------|----------|----------------------|
| \$2,588.00 | D Foam D Paint To Comp | Hardtop | \$2,646.00 |
| | EXTRA-CO | ST ITEMS | |
| STD | Foam | Seats | 8.43 |
| STD | Paint Stripe | | N/A |
| \$2,588.00 | Tot Compa Equip | | \$2,654.43 |
| \$66.43 | Price Ad | vantage | |

SIZE-STYLING

MONTEGO

- Montego models have a 4-inch longer wheelbase and are nearly 5 inches longer in overall length. More car for the
- Continental-inspired grille provides unique intermediate class styling . . . classic lines combined with a look of luxury and prestige.
- 4.0 more cubic feet of luggage capacity than Tempest.

TEMPEST CUSTOM "S"

- 112" wheelbase—201.5 overall length.
- Same GM body as that shared with Buick, Oldsmobile and Chevrolet intermediates . . . all have a styling resemblance.
- 14.0 cubic feet of luggage capacity.

EXTERIOR FEATURES MONTEGO

TEMPEST CUSTOM "S"

- All newly styled front, featuring solid, die-cast grille and headlight bezels.
- Full-depth front and rear bumpers provide maximum protection and leave no exposed sheet metal below bumper.
- Turn signals and parking lights are recessed in bumper for added protection.
- Hood release is conveniently located at top leading edge of hood.
- Optional interval windshield wipers feature intermittent operation for greater driver convenience.

- Plastic grille and headlight bezels.
- No bumper, Grille serves as bumper, but is non-functional as a bumper. Sharp V-nose protrudes over bumper and can cause lower body damage.
- Turn signals and parking lights located in sheet metal below grille are exposed to damage.
- Hood latch is located below V-shaped grille where it is hard to find and difficult to operate.
- Interval windshield wipers not offered as standard or extra-cost equipment.



MONTEGO




TEMPEST CUSTOM "S"

INTERIOR FEATURES

- Luxurious, teakwood-tone instrument panel surrounds entire 5-pod instrument cluster.
- Deep, foam-padded front seat with comfortable contour styling—standard.
- Color-keyed 2-spoke steering wheel features a deeppadded hub with convenient horn ring.
- The only simulated wood-grain is a narrow stripe on instrument panel.
- Foam padding in front seat cushions not standard—available only as an extra-cost option.
- 3-Spoke steering wheel with horn buttons—lacks the richness and convenience of Montego wheel and horn ring.



MONTEGO



TEMPEST CUSTOM "S"

COMFORT AND CONVENIENCE

- Large fully padded 15-inch armrests add extra comfort.
- Squeeze-type door release handle is recessed into fully padded armrests—more convenient to operate, more difficult to open accidentally.
- Convenient, rim-blow steering wheel available as an extra-cost option. Permits horn operation without removing hands from wheel—simply squeeze inner wheel rim.
- Front seat-back release latch is located at waist level, on side of front seat, for convenient operation.
- Formal roof line and rear pillar styling provide more headroom for rear passenger comfort.
- Reversible key system permits correct key insertion every time.

- Armrest is common with that used throughout GM intermediate car lines . . . partially padded and only 11 inches long.
- Lever-type door release handle is fully exposed and extends from the partially padded armrest.
- Rim-blow steering wheel not offered as either a standard or an extra-cost item.
- Front seat-back release latch is located at base of front seat—difficult to reach and operate.
- Rear roof slopes sharply, and restricts rear headroom.
- Conventional key system; key must be inserted right side up.

RIDE AND HANDLING

MONTEGO

- Fully rubber-insulated front suspension with deep coil springs and rubber-cushioned steel compliance strut absorbs vibrations and provides controlled wheel yield under high impact forces . . . a smoother, more comfortable ride.
- Montego's long, 58" multi-leaf rear-spring suspension system is rubber-insulated to cushion driving and braking forces; provides an excellent ride with greater stability and comfort. Butyl-rubber Iso-Clamps eliminate metal-to-metal contact and isolate road noise and vibration from the passenger compartment.

TEMPEST CUSTOM "S"

- Front coil springs. No compliance strut.
- Rear coil springs are not insulated; no track bar.

POWER AND PERFORMANCE

MONTEGO

Montego offers a broader range of engines . . . an economy-oriented Six, plus a choice of five V-8's with the top V-8 rated as the highest horsepower engine.

250 CID, 155 hp Six (regular fuel) Std. (new).
302 CID, 220 hp V-8 (regular fuel) Opt.
351 CID 2-V, 250 hp V-8 (regular fuel) Opt. (new).
351 CID 4-V, 290 hp V-8 (premium fuel) Opt. (new).
390 CID 4-V, 320 hp V-8 (premium fuel) Opt.
CJ 428 335 hp V-8 (premium fuel) Opt.

 3-Speed, Select-Shift transmission offers choice of fully automatic or true manual shifting through all gear ranges.
 Can be started in second gear for better traction on slippery surfaces.

TEMPEST CUSTOM "S"

■ Four engines are offered—2 Sixes and 2 V-8's.

250 CID OHC, 175 hp Six (regular fuel) Std. 250 CID 4-V, 230 hp Six (premium fuel) Opt. 350 CID 2-V, 265 hp V-8 (regular fuel) Opt. 350 CID 4-V, 320 hp V-8 (premium fuel) Opt.

 2-Speed Powerglide automatic available with the 250 Six and 350 2V V-8.

Turbo Hydra-Matic, available on all engines, has only fully automatic, 3-speed shifting. Always starts in first, even when second gear is selected by driver.

BODY CONSTRUCTION

MONTEGO

- All-welded unit-body with rigid floor tunnel center beam offers solid, one-piece construction for maximum strength.
- Rigid, torque-box construction with four boxes joining body to side rails at critical points increases strength, isolates road vibrations from passenger compartment, and enhances riding comfort.
- Corrosion-resistant galvanized steel is used in vital underbody areas including rocker panels. Galvanized steel resists corrosion more than twice as long as conventional steel
- Baked Acrylic Super Enamel used for greater lasting beauty and longer mar-resistant life.
- Factory-installed undercoating and sound-deadener offers quieter ride at no extra-cost.

TEMPEST CUSTOM "S"

- Separate body-on-frame construction.
- Body bolted to frame. No torque boxes.
- Rocker panels are made of conventional steel—resist corrosion less effectively.
- Lacquer paint is used. Less durable finish.
- Undercoating is an extra-cost item.



MONTEGO
TOPS
CUTLASS "S"



Cutlass "S"

(2-Door Hardtops)

RED LETTER EVALUATION

Montego is \$151 less than the Cutlass "S" on a comparably equipped basis—a decided price advantage. Other Montego advantages include:



In 1969, Montego leads the way with 11 models in 6 different series—a choice of 2 hardtop roof lines, a 3-seat station wagon with or without yacht-deck styling plus Brougham models.



Broader range of V-8 power.



Select-Shift automatic transmission is more flexible because it offers a choice of automatic or true manual shifting.



Continental-inspired luxury car styling in the intermediate line offers Montego increased prestige at a low price.



More luxurious interior styling and decor.



More standard comfort and convenience features add up to greater Montego values at a lower price.

Solid unit-body, heavily insulated, provides a quieter, vibration-free ride.

PRICE COMPARISON

(Manufacturer's Suggested Retail Price)

| MONTI | EGO | сит | LASS "S" |
|------------|-----------------|------------|----------|
| \$2,588.00 | 2-Door | \$2,728.00 | |
| | EXTRA-CO | OST ITEMS | |
| STD | Paint | 10.53 | |
| \$2,588.00 | To Comparabl | \$2,738.53 | |
| \$150.53 | Price Ad | lvantage | |

SIZE-STYLING

MONTEGO

- Montego models have a 4-inch longer wheelbase and are over 4 inches longer. More car for the money.
- Continental-inspired grille provides unique intermediate class styling . . . classic lines combined with a look of luxury and prestige.
- One more cu. ft. of luggage capacity than Cutlass "S".

CUTLASS "S"

- 112" wheelbase—201" overall length.
- Same GM body as that shared with Pontiac, Oldsmobile and Chevrolet intermediates—all have a styling resemblance.
- 17.0 cubic feet of luggage capacity.


MONTEGO

EXTERIOR FEATURES

CUTLASS "S"

- All newly styled front, featuring solid, die-cast grille and headlight bezels.
- Full-depth front and rear bumpers provide maximum protection and leave no exposed sheet metal below bumper.
- Turn signals and parking lights are recessed in bumper for added protection.
- Hood release is conveniently located at top leading edge of hood.
- Bright and black rocker panel molding adds extra-styling appeal at no extra-cost.
- Optional interval windshield wipers feature intermittent operation for greater driver convenience.

- Plastic grille and headlight bezels.
- Bumper impact point is not full-width but restricted to an area approximately 6 inches wide at center of bumper.
- Parking lights are exposed and subject to damage.
- Hood latch located below grille where it is hard to find.
- Rocker panel molding is available only at extra-cost.
- Interval windshield wipers not offered as a standard or extra-cost item.





MONTEGO


INTERIOR FEATURES

CUTLASS "S"

- Luxurious teakwood-tone instrument panel surrounds entire 5-pod instrument cluster.
- Flat-top, deep-padded dash reduces reflective glare without restricting visibility.
- Instrument panel is crinkle-finished in one color.
- Slanted dash reflects in windshield. High-positioning of dash restricts visibility.



MONTEGO



CUTLASS "S"

COMFORT AND CONVENIENCE

- Large, fully-padded 15-inch armrests add extra-comfort.
- Squeeze-type door release handle is recessed into fully padded armrests—more convenient to operate, more difficult to open accidentally.
- Convenient, rim-blow steering wheel available as an extra-cost option. Permits horn operation without removing hands from steering wheel—simply squeeze innerwheel rim.
- Front seat-back release latch is located at waist level, on side of front seat, for convenient operation.
- Formal roof line and rear pillar styling provides more head room for rear passengers.
- Reversible key system permits correct key insertion every time.

- Armrest is common with that used throughout GM intermediate car lines—partially padded and only 11 inches long.
- Lever-type door release handle is fully exposed and extends from partially padded armrest.
- Rim-blow steering wheel not offered as either a standard or extra-cost item.
- Front seat-back release latch located at base of front seat
 —difficult to reach and operate.
- Rear roof slopes sharply and restricts rear head room.
- Conventional key system; key must be inserted right side up.

RIDE AND HANDLING

MONTEGO

- Fully rubber-insulated front suspension with deep-coil springs and rubber-cushioned steel compliance strut absorbs vibrations and provides controlled wheel yield under high impact forces . . . a smoother, more comfortable ride.
- Montego's long, 58-inch, multi-leaf rear-spring suspension system is rubber-insulated to cushion driving and braking forces; provides an excellent ride with greater stability and comfort. Butyl-rubber Iso-Clamps eliminate metal-to-metal contact and isolate road noise and vibrations from the passenger compartment.

CUTLASS "S"

- Front coil springs-no compliance strut.
- Rear coil springs are not insulated; no track bar.

POWER AND PERFORMANCE

MONTEGO

 Montego offers a broader range of engines—an economy-oriented Six, plus a choice of five V-8's.

250 CID, 155 hp Six (regular fuel) Std. (new).

302 CID, 220 hp V-8 (regular fuel) Opt.

351 CID 2-V, 250 hp V-8 (regular fuel) Opt. (new).

351 CID 4-V, 290 hp V-8 (premium fuel) Opt. (new).

390 CID 4-V, 320 hp V-8 (premium fuel) Opt.

CJ 428, 335 hp V-8 (premium fuel) Opt.

3-Speed Select-Shift transmission offers choice of fully automatic or true manual shifting through all gear ranges. Can be started in second gear for better traction on slippery surfaces.

CUTLASS "S"

■ Four engines are offered—1 Six and 3 V-8's.

250 CID, 155 hp Six (regular fuel) Std.

350 CID, 250 hp V-8 (premium fuel) Opt.

350 CID, 310 hp V-8 (premium fuel) Opt.

350 CID, 325 hp V-8 (premium fuel) Opt.

2-Speed, Jetaway automatic transmission available with 250 CID Six. Turbo Hydra-Matic available on all engines; has only fully automatic 3-speed shifting. Always starts in first even when second gear is selected by driver.

BODY CONSTRUCTION

MONTEGO

- All-welded unit-body with rigid, floor-tunnel center beam offers one-piece construction for maximum strength.
- Rigid torque-box construction with four boxes joining body to side-rails at critical points increases strength, isolates road vibrations from passenger compartment, and enhances riding comfort.
- Baked Acrylic Super Enamel used for greater lasting beauty and longer mar-resistant life.
- Factory-installed undercoating and sound-deadener offers quieter ride at no extra-cost.
- Corrosion-resistant galvanized steel is used in vital underbody areas, including rocker panels. Galvanized steel resists corrosion more than twice as long as conventional steel.

CUTLASS "S"

- Separate body-on-frame construction.
- Body bolted to frame. No torque boxes.
- Lacquer paint is used . . . less durable finish.
- Undercoating is an extra-cost item.
- Rocker panels are made of conventional steel—resist corrosion less effectively.



Montego

MONTEGO TOPS SKYLARK

(2-Door Hardtops)



Skylark

RED LETTER EVALUATION

Montego is \$209 less than the Skylark on a comparably equipped basis. Other Montego advantages include:



In 1969, Montego leads the way with 11 models in 6 different series—a choice of 2 hardtop roof lines plus Brougham models.



Broader range of V-8 power with highest horsepower rating for top V-8.



Select-Shift automatic transmission is more flexible because it offers a choice of automatic or true manual shifting.




Continental-inspired luxury car styling in the intermediate line offers Montego increased prestige at a low price.



More luxurious interior styling and decor.



More standard comfort and convenience features add up to greater Montego values at a lower price.



Superior suspension system provides a smoother ride.

PRICE COMPARISON

(Manufacturer's Suggested Retail Price)

| TEGO | SKY | LARK | | | |
|---|--|---|--|--|--|
| 2-Door H | \$2,719.00 | | | | |
| EXTRA-CO | ST ITEMS | * | | | |
| Foam | 15.80 | | | | |
| Dual I | 3.90* | | | | |
| Belt and Rev | 31.60 | | | | |
| Curb and Fen | der Moldings | 26.33 | | | |
| Paint | Stripe | N/A | | | |
| 100000000000000000000000000000000000000 | The Control of the Co | \$2,796.63 | | | |
| Price Ad | vantage | | | | |
| | 2-Door F EXTRA-CO Foam Dual I Belt and Rev Curb and Fen Paint Tot Comparably | 2-Door Hardtop EXTRA-COST ITEMS Foam Seats Dual Horn Belt and Reveal Moldings Curb and Fender Moldings Paint Stripe Total— Comparably Equipped Price Advantage | | | |

*Cost of Convenience Group Option applicable to dual-horn.

SIZE-STYLING

MONTEGO

- Montego models have a 4-inch longer wheelbase and are 5½ inches longer overall.
- Continental-inspired grille provides unique intermediate class styling . . . classic lines combined with a look of luxury and prestige.
- 4.5 more cubic feet of luggage capacity.

SKYLARK

- 112" wheelbase; overall length 200.7".
- Same GM body as that shared with Pontiac, Oldsmobile and Chevrolet intermediates . . . all have a styling resemblance.
- 13.5 cubic feet of luggage capacity.

EXTERIOR FEATURES

SKYLARK

 All newly styled front, featuring solid, die-cast grille and headlight bezels.

MONTEGO

- Full-depth front and rear bumpers provide maximum protection and leave no exposed sheet metal below bumper.
- Bright-metal drip moldings, dual upper body paint stripes and bright and black rocker panel and trunk lid moldings tastefully complement styling . . . all are standard.
- Hood release is conveniently located at top leading edge of the hood.
- Optional interval windshield wipers feature intermittent operation for greater driver convenience.

- 2-Piece plastic grille with die-cast headlight bezels.
- Bumper impact point is not full-width, but restricted to pointed area at center of bumper.
- Bright-metal drip molding is available only at extra-cost. Painted rocker panels, lack of body paint stripes, and absence of trunk lid molding do not distinguish styling execution.
- Hood latch is located below grille where it is hard to find and difficult to operate.
- Interval windshield wipers not offered as standard or extra-cost equipment.






MONTEGO

INTERIOR FEATURES

SKYLARK

- Luxurous, teakwood-tone instrument panel surrounds entire 5-pod instrument cluster.
- No wood-grain finish to provide a luxury decor. Solid color instrument panel is trimmed with contrasting color scheme.



MONTEGO



SKYLARK

COMFORT AND CONVENIENCE

- Large, fully padded, 15-inch armrest adds extra-comfort.
- Squeeze-type door release handle is recessed into fully padded armrests — more convenient to operate, more difficult to open accidentally.
- Convenient, rim-blow steering wheel available as an extracost option. Permits horn operation without removing hands from wheel—simply squeeze inner wheel rim.
- Front seat-back release latch is located at waist level, on side of front seat, for convenient operation.
- Formal roof line and rear pillar styling provides more head room for rear passengers.
- Reversible key system permits correct key insertion every time.

- Armrest is common with that used throughout GM intermediate car lines—partially padded and only 11 inches long.
- Lever-type door release handle is fully exposed and extends from the partially padded armrest.
- Rim-blow steering wheel not offered as either a standard or extra-cost item.
- Front seat-back latch is at base of front seat—difficult to reach and operate.
- Rear roof slopes sharply and restricts rear head room.
- Conventional key system; key must be inserted right side up.

RIDE AND HANDLING

MONTEGO

- Fully rubber-insulated front suspension with deep coil springs and rubber-cushioned steel compliance strut absorbs vibrations and provides controlled wheel yield under high impact forces . . . a smoother, more comfortable ride.
- Montego's long, 58-inch multi-leaf rear spring suspension system is rubber-insulated to cushion driving and braking forces; provides an excellent ride with greater stability and comfort. Butyl-rubber Iso-Clamps eliminate metalto-metal contact and isolate road noise and vibration from passenger compartment.

SKYLARK

- Front coil springs. No compliance strut.
- · Rear coil springs are not insulated. No track bar.

POWER AND PERFORMANCE

MONTEGO

 Montego offers a broader range of engines—an economyoriented Six, plus a choice of five V-8's, including the top rated horsepower engine.

250 CID, 155 hp Six (regular fuel) Std. (new).
302 CID, 220 hp Base V-8 (regular fuel) Opt.
351 CID, 2-V, 250 hp V-8 (regular fuel) Opt. (new).
351 CID, 4-V, 290 hp V-8 (premium fuel) Opt. (new).
390 CID, 4-V, 320 hp V-8 (premium fuel) Opt.
CJ 428, 335 hp V-8 (premium fuel) Opt.

3-Speed Select-Shift transmission offers a choice of fully automatic or true manual shifting through all gear ranges. Can be started in second gear for better traction on slippery surfaces.

SKYLARK

■ Three engines are offered—1 Six and 2 V-8's.

250 CID, 155 hp Six (regular fuel) Std. 350 CID, 2-V, 265 hp V-8 (premium fuel) Opt. 350 CID, 4-V, 280 hp V-8 (premium fuel) Opt.

 2-Speed Super Turbine 300 automatic transmission is available.

Turbo Hydra-Matic, available on all engines, has only fully automatic 3-speed shifting. Always starts in first even when second gear is selected by driver.

BODY CONSTRUCTION

MONTEGO

- All-welded unit-body with rigid floor-tunnel center beam offers solid, one-piece construction for maximum strength.
- Rigid, torque-box construction with four boxes joining body to frame at critical points increases strength, isolates road vibrations from passenger compartment and enhances riding comfort.
- Corrosion-resistant galvanized steel is used in vital underbody areas, including rocker panels. Galvanized steel resists corrosion more than twice as long as conventional steel.
- Baked Acrylic Super Enamel used for greater lasting beauty and longer mar-resistant life.
- Factory-installed undercoat and sound-deadener offers quieter ride at no extra-cost.

SKYLARK

- Separate body-on-frame construction.
- Body bolted to frame. No torque boxes.
- Rocker panels are made of conventional steel—resists corrosion less effectively.
- Lacquer paint is used. Less durable finish.
- Undercoating is an extra-cost item.



Montego

MONTEGO TOPS CORONET 440

(2-Door Hardtops)



Coronet 440



Montego is \$126 less than Coronet 440 on a comparably equipped basis. Other Montego advantages include:



In 1969, Montego leads the way with 11 models in 6 different series—a choice of two hardtop roof lines plus Brougham models.



Broader range of V-8 power with highest horsepower rating for top V-8.



More standard comfort and convenience features add up to greater Montego values at a lower price.



More luxurious interior styling and comfort with deep-padded seats and armrests plus rich teakwood-tone accents on instrument panel.



Superior suspension system provides a smoother ride.



Continental-inspired luxury car styling in the intermediate line offers Montego increased prestige at a low price.



Solid unit-body, heavily insulated, provides a quiet, vibration-free ride.

PRICE COMPARISON

(Manufacturer's Suggested Retail Price)

| MONT | EGO | CORO | NET 440 | | | | |
|------------|---|-------------------------|------------|--|--|----------------|--|
| \$2,588.00 | 2-Door | 2-Door Hardtop | | | | 2-Door Hardtop | |
| | EXTRA-CO | ST ITEMS | | | | | |
| STD | Foam | 8.30 | | | | | |
| STD | Belt M | 13.60 | | | | | |
| STD | Underco Underhood | ating and Insulation | 16.60 | | | | |
| \$2,588.00 | 110000000000000000000000000000000000000 | tal— ly Equipped | \$2,713.50 | | | | |
| \$125.50 | Price Ad | lvantage | | | | | |

SIZE-STYLING

MONTEGO

- Wheelbase is 116.0"—overall length, 206.2".
- Continental-inspired grille provides unique intermediate class styling . . . classic lines combined with look of luxury and prestige.

CORONET 440

- Wheelbase is 117.0"—overall length, 206.6".
- Front-end styling has corporate family resemblance.

EXTERIOR FEATURES

MONTEGO

- All newly styled front featuring solid, die-cast grille and headlight bezels.
- Ventless side windows provide unobstructed visibility and complement Montego's fine car styling.
- Bright-metal belt molding, a standard feature, provides a finished appearance.
- Optional interval windshield wipers feature intermittent operation for greater driver comfort.
- Full-length dual upper body paint stripes, plus bright and black rocker panel and trunk lid moldings, add extra styling appeal at no extra-cost.

CORONET 440

- Thin, 2-piece extruded aluminum grille lacks the prestige associated with die-cast grilles.
- Snap-lock vent side windows increase wind noise potential and obstruct visibility of driver and passenger.
- Bright-metal belt molding is not standard-must be purchased at extra-cost.
- Interval windshield wipers not offered as standard or extra-cost equipment.
- Body paint stripes, rocker panel or trunk lid moldings not offered as standard or extra-cost items.





MONTEGO

INTERIOR FEATURES

CORONET 440

- Luxurious teakwood-tone instrument panel surrounds entire 5-pod instrument cluster.
- Color-keyed, 2-spoke steering wheel features a deeppadded hub with convenient horn ring.
- Choice of rich upholstery selections in all-vinyl or combination cloth and vinyl.
- Deep, foam-padded front seat with comfortable contour styling-standard.
- No wood-tone finish to emphasize luxury decor. Instrument panel is in two-tone scheme.
- 3-Spoke steering wheel is not color-keyed—has a thin padded hub and partial horn ring. It lacks the richness and convenience of Montego's wheel and horn ring.
- All-vinyl is the only upholstery available. Lack of cloth and vinyl upholstery selections significantly restricts interior decor combinations.
- Deep foam padding in front seat cushions not standard available only as an extra-cost option.



MONTEGO



CORONET 440

COMFORT AND CONVENIENCE

- Large, fully padded 15-inch armrests add extra-comfort.
- Squeeze-type door release handle is recessed into fully padded armrest—more convenient to operate, more difficult to open accidentally.
- Large glove box door with bottom hinge can be used as a tray when opened.
- Convenient rim-blow steering wheel available as an extra cost option. Permits horn operation without removing hands from steering wheel—simply squeeze inner wheel rim
- Reversible key system permits correct key insertion every time.
- Suspended accelerator pedal, which rotates to adjust to driver's foot angle, provides greater comfort.
- Low trunk lift-over height for easier loading and unloading.

- Armrest is not fully padded and is only 10 inches long.
- Paddle-type door release handle is fully exposed.
- Glove box door swings upward to open, eliminating useful tray feature and making it difficult to see glove box contents.
- Rim-blow steering wheel not offered as a standard or extra-cost item.
- Conventional key system; key must be inserted right side up.
- Floor-mounted accelerator pedal, not as comfortable.
- Trunk lift-over height is 7 inches higher than Montego's.

RIDE AND HANDLING

MONTEGO

- Fully rubber-insulated front suspension with deep coil springs and rubber-cushioned steel compliance strut absorbs vibrations and provides controlled wheel yield under high impact forces . . . a smoother, more comfortable ride.
- Montego's long 58-inch multi-leaf rear spring suspension system is rubber-insulated to cushion driving and braking forces; provides an excellent ride with greater stability and comfort. Butyl-rubber Iso-Clamps eliminate metal to metal contact and isolate road noise and vibration from the passenger compartment.
- Bigger 7.75 x 14 tires—standard.

CORONET 440

- Torsion bar front suspension. No compliance strut.
- Multi-leaf rear spring suspension does not incorporate Iso-Clamp cushioning.
- 7.35 x 14 tires—standard.

POWER AND PERFORMANCE

MONTEGO

- Montego offers a broader range of engines—an economy oriented Six, plus a choice of five V-8's with the top V-8 rated as the highest horsepower engine.
 - 250 CID, 155 hp Six (regular fuel) Std. (new).
 - 302 CID 2V, 220 hp V-8 (regular fuel) Opt.
 - 351 CID 2V, 250 hp V-8 (regular fuel) Opt. (new).
 - 351 CID 4V, 290 hp V-8 (premium fuel) Opt. (new).
 - 390 CID 4V, 320 hp V-8 (premium fuel) Opt.
 - CJ 428, 335 hp V-8 (premium fuel) Opt.
- Standard 3-speed manual transmission is fully synchronized for clash-free operation—permits down-shifting into low without gear clash.

CORONET 440

- Four engines are offered—1 Six and 3 V-8's.
 - 225 CID, 145 hp Six (regular fuel) Std.
 - 318 CID 2V, 230 hp V-8 (regular fuel) Std.
 - 383 CID 2V, 290 hp V-8 (regular fuel) Opt.
 - 383 CID 4V, 330 hp V-8 (premium fuel) Opt.
- Standard 3-speed manual transmission is not fully synchronized.

BODY CONSTRUCTION

MONTEGO

- All-welded unit body with rigid floor tunnel center beam offers solid, one-piece construction for maximum strength.
- Rigid, torque-box construction with four boxes joining body to frame at critical points increases strength, isolates road vibrations from passenger compartment, and enhances riding comfort.
- Hood insulation, to help isolate engine noises from the passenger compartment, is standard.
- Factory-installed undercoating and sound-deadener offers quieter ride at no extra-cost.

CORONET 440

- Front members bolted to body in semi-unitized construction.
- No torque-box construction.
- Hood insulation is not standard, it is a component of an extra-cost option.
- Undercoating is an extra-cost option.



Montego

MONTEGO TOPS CHEVELLE MALIBU

Chevelle Malibu

(2-Door Hardtops)



Montego is within \$4 of Chevelle Malibu on a comparably equipped basis. Other Montego advantages include:



In 1969, Montego leads the way with 11 models in 6 different series—a choice of two hardtop roof lines plus Brougham models.



Select-Shift automatic transmission is a more flexible transmission because it offers a choice of automatic or manual shifting.



Continental-inspired luxury car styling in the intermediate line offers Montego increased prestige at a low price.



Greater comfort and luxury with deep foam-padded seats and armrests plus rich, teakwood-tone instrument panel trim.



Superior suspension system provides a smoother ride.



Solid unit-body, heavily insulated, provides a quieter, vibration-free ride.

PRICE COMPARISON

(Manufacturer's Suggested Retail Price)

| MONT | EGO | | CHEVELLE MALIBU |
|------------|---|------------------------|--------------------|
| \$2,588.00 | 2-Door Hardtop | | \$2,584.00 |
| | EXTRA-COST ITEMS | | |
| STD | Foam Seats | | N/A |
| \$2,588.00 | \$2,588.00 2-Door EXTRA-CO STD Foam To Comp Equi | tal— arably pped | \$2,584.00 |
| | Price Ad | Ivantage | \$4.00 |

SIZE-STYLING

MONTEGO

- Montego models have a 4-inch longer wheelbase and are over 9 inches longer overall. More car for the money.
- Continental-inspired grille provides unique intermediate class styling—classic lines combined with a look of luxury and prestige.
- 5.4 more cubic feet of luggage capacity. A big plus for those out-of-town trips.

CHEVELLE MALIBU

- Wheelbase is 112.0"—overall length, 196.9".
- Same GM body as that shared with Pontiac, Oldsmobile and Buick intermediates—all have a styling resemblance.
- Trunk capacity is only 12.6 cubic feet.

EXTERIOR FEATURES

MONTEGO

- All newly styled front featuring solid, die-cast grille and headlight bezels.
- Full-depth front and rear bumpers provide maximum protection and leave no exposed sheet metal below the bumper.
- Optional interval windshield wipers feature intermittent operation for greater driver comfort.
- Bright and black rocker panel and trunk lid molding, plus bright belt molding, add extra-styling appeal at no extracost.

CHEVELLE MALIBU

- Plastic grille with stamped aluminum headlight bezels.
- Bumper impact point is not full-width, but restricted to an area at the center of the bumper.
- Interval windshield wipers not offered as standard or extra-cost equipment.
- Lack of bright trunk lid and belt moldings gives less finished appearance.

MONTEGO

INTERIOR FEATURES

CHEVELLE MALIBU

- Luxurious, teakwood-tone instrument panel surrounds entire 5-pod instrument cluster.
- Deep, foam-padded front seat with comfortable contour styling—standard.
- Choice of rich upholstery selections in all-vinyl or combination cloth and vinyl.
- No wood-tone finish to provide luxury decor. Solid-color instrument panel is trimmed with bright-metal.
- Deep foam padding in front seat cushions not available as a standard or extra-cost option.
- All-vinyl interior is available only at extra cost.

MONTEGO

COMFORT AND CONVENIENCE

CHEVELLE MALIBU

- Large, fully padded 15-inch armrests add extra-comfort.
- Squeeze-type door release handle is recessed into fully padded armrests—more convenient to operate, more difficult to open accidentally.
- Convenient, rim-blow steering wheel available as an extra-cost option. Permits horn operation without removing hands from steering wheel, simply squeeze inner wheel rim.
- Front seat-back release latch is located at waist level on side of front seat for convenient operation.
- Reversible key system permits correct key insertion every time.
- Formal roof line and rear pillar styling provides more headroom for rear passengers.

- Armrest is common with that used throughout GM intermediate lines . . . partially padded and only 11" long.
- Lever-type door release handle is fully exposed and extends from the partially padded armrest.
- Rim-blow steering wheel not offered as a standard or extra-cost item.
- Front seat-back release latch is located at base of front seat—difficult to reach and operate.
- Conventional key system; must be inserted right side up.
- Rear roof slopes sharply and restricts rear headroom.

MONTEGO

RIDE AND HANDLING

CHEVELLE MALIBU

- Fully rubber-insulated front suspension with deep coil springs and rubber-cushioned steel compliance strut absorbs vibrations and provides controlled wheel yield under high impact forces . . . a smoother, more comfortable ride.
- Montego's long 58-inch multi-leaf rear spring suspension system is rubber-insulated to cushion driving and braking forces; provides an excellent ride with greater stability and comfort. Butyl-rubber Iso-Clamps eliminate metal-to-metal contact and isolate road noise and vibration from the passenger compartment.
- Bigger, 7.75 x 14 tires—standard.

- Front coil springs. No compliance strut.
- Rear coil springs are not insulated; no track bar.
- 7.35 x 14 tires—standard.

MONTEGO

POWER AND PERFORMANCE

CHEVELLE MALIBU

- 3-Speed, Select-Shift transmission offers choice of fully automatic or true manual shifting through all gear ranges. Can be started in second gear for better traction on slippery pavement.
- 2-Speed Powerglide automatic transmission is available. Turbo Hydra-Matic is also available but has only 3-speed shifting. Always starts in first, even when second gear is selected by driver.

MONTEGO

BODY CONSTRUCTION

CHEVELLE MALIBU

- All-welded unit-body with rigid floor-tunnel center beam offers solid, one-piece construction for maximum strength.
- Rigid, torque-box construction with four boxes joining body to frame at critical points increases strength, isolates hood vibrations from passenger compartment and enhances riding comfort.
- Corrosion-resistant galvanized steel is used in vital under-body areas, including rocker panels. Galvanized steel resists corrosion more than twice as long as conventional steel.
- Baked Acrylic Super Enamel used for greater lasting beauty and longer mar-resistant life.
- Factory-installed undercoat and sound-deadener offers quieter ride at no extra-cost.

- Separate body-on-frame construction.
- Body bolted to frame. No torque boxes.
- Rocker panels are made of conventional steel—resist corrosion less effectively.
- Lacquer paint is used—less durable finish.
- Undercoating is an extra-cost item.



Montego

MONTEGO TOPS SATELLITE

(2-Door Hardtops)



RED LETTER EVALUATION

Montego is \$93 less than the Satellite on a comparably equipped basis. Other Montego advantages include:



Greater selection of 11 models in 6 different series—a choice of 2 hardtop roof lines plus Brougham models.



Broader range of V-8 power with highest horsepower rating for top V-8.



More standard comfort and convenience features add up to greater Montego values at a lower price.



More luxurious interior styling and comfort with deep padded seats and armrests plus rich teakwood-tone accents on instrument panel.



Superior suspension system provides a smoother ride.



Continental-inspired luxury car styling in the intermediate line offers Montego increased prestige at a low price.



Solid unit-body, heavily insulated, provides a quieter, vibration-free ride.

PRICE COMPARISON

(Manufacturers' Suggested Retail Price)

| MONTE | GO | | SATELLITE | | |
|------------|----------|--------------------------|------------|--|--|
| \$2,588.00 | | | \$2,642.00 | | |
| | EXTRA-CO | ST ITEMS | | | |
| STD | Foam | Seats | 8.30 | | |
| STD | Belt M | oldings | 13.60 | | |
| STD | Under | coating | 16.60 | | |
| \$2,588.00 | Comp | otal— parably pped | \$2,680.50 | | |
| \$92.50 | Price Ad | Ivantage | | | |

SIZE-STYLING

MONTEGO

- Wheelbase is 116.0"—overall length, 206.2".
- Continental-inspired grille provides unique intermediate class styling—classic lines combined with a look of luxury and prestige.

SATELLITE

- Wheelbase is 116.0"—overall length, 202.7".
- Front-end styling execution has corporate family resemblance.

EXTERIOR FEATURES

MONTEGO

- All newly styled front, featuring solid die-cast grille and headlight bezels.
- Full-length, dual upper body paint stripes, and bright and black rocker panel and trunk lid moldings add extra styling appeal at no extra-cost.
- Ventless side windows provide unobstructed visibility and complement Montego's fine car styling.
- Bright-metal belt molding, a standard feature, provides a more finished appearance.
- Optional interval windshield wipers feature intermittent operation for greater driver comfort.

SATELLITE

- Narrow stamped black and bright aluminum grille lacks the prestige associated with die-cast grilles.
- Body paint stripes, rocker panel or trunk lid moldings not offered as standard or extra-cost items.
- Snap-lock vent windows increase wind noise potential and obstruct visibility of driver and passenger.
- Bright-metal belt molding is not standard-must be purchased at extra-cost.
- Interval windshield wipers not offered as standard or extra-cost equipment.

MONTEGO

INTERIOR FEATURES

SATELLITE

- Luxurious, teakwood-tone instrument panel surrounds entire 5-pod instrument cluster.
- Color-keyed 2-spoke steering wheel features a deep padded hub with horn ring.
- Deep, foam-padded front seat with comfortable contour styling—standard.
- No wood-tone finish to emphasize luxury decor. Instrument panel is trimmed in bright-metal.
- 3-Spoke steering wheel is not color-keyed—has a thinly padded hub and partial horn ring. It lacks Montego's richness and convenience.
- Deep foam padding in front seat cushions not standard available only as an extra-cost option.

MONTEGO

COMFORT AND CONVENIENCE SATELLITE

- Large, fully padded 15-inch armrests add extra-comfort.
- Squeeze-type door release handle is recessed into fully padded armrests—more convenient to operate, more difficult to open accidentally.
- Large glove box door with bottom hinge can be used as a tray when opened.
- Reversible key system permits correct key insertion every time.
- Suspended accelerator pedal, which rotates to adjust to driver's foot angle, provides greater comfort.
- Convenient rim-blow steering wheel is available as an extra-cost option.
- Low trunk lift-over height for easier loading and unloading.

- Armrest is not fully padded and is only 10 inches long.
- Paddle-type door release handle is fully exposed.
- Glove box door swings upward to open, eliminating useful tray feature, and making it difficult to see glove box contents.
- Conventional key system. Key must be inserted rightside up.
- Floor-mounted accelerator pedal not as comfortable to use.
- Rim-blow steering wheel not offered as a standard or extra-cost option.
- Trunk lift-over height is 7 inches higher than Montego.

MONTEGO

ride and handling

SATELLITE

- Fully rubber-insulated front suspension with deep-coil springs and rubber-cushioned steel compliance strut absorbs vibrations and provides a smoother, more comfortable ride.
- Montego's long, 58-inch, multi-leaf rear-spring suspension system is rubber-insulated to cushion driving and braking forces. Butyl-rubber Iso-Clamps eliminate metal-to-metal contact and isolate road noise and vibration from the passenger compartment.
- Bigger, 7.75 x 14 tires—standard.

- Torsion bar front suspension. No compliance strut.
- Multi-leaf rear spring suspension does not incorporate Iso-Clamp cushioning.
- 7.35 x 14 tires—standard.

MONTEGO

POWER AND PERFORMANCE

SATELLITE

- Montego offers a broader range of engines—an economy-oriented Six, plus a choice of five V-8's with the top V-8 rated as the highest horsepower engine.
 - 250 CID, 155 hp Six (regular fuel) Std. (new).
 - 302 CID, 2V, 220 hp V-8 (regular fuel) Opt.
 - 351 CID, 2V, 250 hp V-8 (regular fuel) Opt. (new).
 - 351 CID, 4V, 290 hp V-8 (premium fuel) Opt. (new).
 - 390 CID, 4V, 320 hp V-8 (premium fuel) Opt.
 - CJ 428, 335 hp V-8 (premium fuel) Opt.
- Standard 3-speed manual transmission is fully-synchronized for clash-free operation—permits downshifting into low without gear clash.

- Four engines are offered— 1 Six and 3 V-8's.
 - 225 CID, 145 hp Six (regular fuel) Std.
 - 318 CID, 230 hp V-8 (regular fuel) Std.
 - 383 CID, 290 hp V-8 (regular fuel) Opt.
 - 383 CID, 330 hp V-8 (premium fuel) Opt.
- Standard 3-speed manual transmission is not fully synchronized.

MONTEGO

BODY CONSTRUCTION

SATELLITE

- All-welded unit-body with rigid floor-tunnel center beam offers solid one-piece construction for maximum strength.
- Four torque boxes joining body to frame at critical points isolate road vibrations from passenger compartment.
- Hood insulation, to help isolate engine noises from the engine compartment, is standard.
- Factory-installed undercoating and sound-deadener offers quieter ride at no extra-cost.
- Front members bolted to body in semi-unitized construction.
- No torque-box construction.
- Hood insulation is not standard, it is a component of an extra-cost option.
- Undercoating is an extra-cost option.



CYCLONE is a winner



CHECK THESE PRICE ADVANTAGES:

- √ \$355 less than Charger V-8
- √ \$238 less than the Skylark Custom V-8
- \$ 84 less than the Cutlass "S"
- \$175 less than LeMans

And Look at the Cyclone CJ Price Advantage!

- √ \$438 less than the Charger RT*
- √ \$302 less than the Coronet RT*

Cyclone-the True Fastback!

- Aerodynamically designed—tested in wind tunnels for low resistance to air flow.
- Squared-off rear styling follows European sports car design.
- Cyclone has, with its fastback roof line, head room front and rear equal to Charger and other conventional formal roof hardtops.
- Tinted rear window is standard—optional on all competitive models.
- Cast finned and flared brake drums on front (Cyclone) and front and rear on Cyclone CJ for cooler, more uniform braking. Not on Charger or Coronet RT.
- Camber and caster adjustment is by cam bolt on lower control arm—more precise adjustment can be achieved. Not available with Charger or Coronet.
- Lower center of gravity enables Cyclone to corner better at high speeds.
- Staggered shock absorbers are used with the 4speed transmission and CJ 428 engine. Not available on Charger or Coronet RT.
- Compliance struts on Cyclone absorb high impact forces attributable to major road irregularities.
- Inertial disc drive shaft isolates road noise and vibrations.

*Comparably equipped

CYCLONE AND CYCLONE CJ-

Greater Value at Less Price!

RETAIL* PRICES

MONTEGO CLASS

COMPACT-INTERMEDIATE CARS

6-CYLINDER MODELS

| Car Line and Series | 2-Door Sed | ans 4-Door | 2-Door | dtops 4-Door | Fastbacks 2-Door | Convertibles | Station 2-Seat | Wagons 3-Sea | |
|----------------------------|----------------|---------------|---------|-----------------|---------------------|--------------------|-------------------|-----------------|--|
| MERCURY Comet Sports Coupe | | | \$2,515 | | | | | | |
| Montego | | \$2,539 | 2,588 | | | | 1022 | | |
| Montego MX | | 2,701 | 2,719 | | | \$2,979 | \$2,962 | \$3,01 | |
| Montego MX Brougham | | 2,792 | 2,810 | | | | | 10.11 | |
| PONTIAC Tempest | \$2,493 | 2,540 | | | | | | - | |
| Tempest Custom S | 2,586 | 2,634 | 2,646 | \$2,760 | | 2,871 | 2,939 | | |
| LeMans | 2,756 | | 2,818 | 2,948 | | 3,047 | 3,181** | | |
| BUICK Special Deluxe | 2,545 | 2,596 | | | | | 3,181** — | | |
| Skylark | | 2,698 | 2,719 | | 1 | 8 | | - | |
| OLDSMOBILE F-85 | 2,544 | | | | | 7 | | | |
| Cutiass | 2,664* | 2,705 | 2,728* | 2,836 | | 2,981* | 3,038 | | |
| CHEVROLET Corvair 500 | | | 2,242 | | | | | | |
| Corvair Monza | | | 2,506 | | | 2,625 | | | |
| Nova | 2,299 | 2,329 | | | | | | | |
| Chevelle 300 Deluxe | 2,441 | 2,471 | 2,504 | | | 1 | 2,651** | | |
| Chevelle Malibu | | 2,550 | 2,584 | 2,655 | | 2,783 | 2,762†† | | |
| Chevelle Concours | | | | | | | 2,914 | | |
| PLYMOUTH Belvedere | 2,492 | 2,531 | | | | | 2,862 | | |
| Satellite | | 2,618 | 2,642 | | | 2,858 | 2,980 | 3,089 | |
| Valiant 100 | 2,290 | 2,337 | | | | | | | |
| Valiant Signet | 2,436 | 2,483 | | | | | | | |
| DODGE Dart | | 2,396 | | | | | | | |
| Dart Custom | | 2,533 | 2,560 | | | 8 -4- 8 | | | |
| Dart GT | | | 2,655 | | | 2,848 | | - | |
| Coronet Deluxe | 2,537 | 2,572 | | | | | 2,905 | | |
| Coronet 440 | 2,613 | 2,653 | 2,675 | | | - 3,016 | | | |
| Charger | | | 3,003 | | | | | | |
| AM, MOTORS Rambler | 1,998 | 2,076 | | | | S | | - | |
| Rambler 440 | | 2,218 | 2,296• | | | | 2,478 | | |
| Rebel | | 2,484 | 2,496 | | | () | 2,817 | | |
| Rebel SST | | 2,584 | 2,598 | | | | 2,947 | | |
| Ambassador | | 2,914 | | | | S 2 | 1 | | |
| Ambassador DPL | | 3,165 | 3,182 | | | | 3,504 | | |
| FORD Falcon | 2,266 | 2,316 | | | | 2 | 2,643 | | |
| Falcon Futura | 2,444/2,581 | 2,481 | | | | | 2,754 | | |
| Fairlane | ne 2,471 2,482 | | | | 3 31 | 2,824 | 2,87 | | |
| Fairlane 500 | | 2,551 | 2,609 | | \$2,584 | 2,834 | 2,934 | 2,98 | |
| Torino | | 2,716 | 2,737 | | | S | 3,090 | 3,14 | |

8-CYLINDER MODELS

| Car Line and Series | 2-Door | 4-Door | 2-Door | 4-Door | 2-Door | Convertibles | 2-Seat | 3-Seat | |
|--|--|--|---|------------------------|---|--|---|--------|--|
| MERCURY Comet Sports Coupe | | - | \$2,627 | | | | | | |
| Montego | | \$2,651 | 2,700 | DEC | _ | Table 1 | | - | |
| Montego MX | | 2,813 | 2,831 | | | \$3,091 | \$3,074 | \$3,12 | |
| Montego MX Brougham | | 2,904 | 2,922 | 10 mg | | | TOTAL DESIGN | 100 | |
| Cyclone | | B (2-2/5) | 2 14 22 10 B | | \$2,754 | | | | |
| Cyclone CJ | | 1. 2.00c 2.00c 3.00c 3.00c | | PARTY CONTRACTOR | - | | | | |
| PONTIAC Tempest | \$2,604 | 2,651 | | | | 2-Boor | | | |
| ATTRICT OF THE PROPERTY OF T | The second secon | | 2,757 | \$2,871 | | | THE CONTRACTOR OF | | |
| The Mile Court of | United House and | | 00.774.578.0 | 267770203000 | | A CONTRACTOR OF THE PARTY OF TH | 0.0000000000000000000000000000000000000 | _ | |
| Cutton | | 5.01040-070 | | | | | | | |
| | A-Door A | | | | | | | | |
| | | | | | | | St. 12 | | |
| | - | | 1310000 | | | | | | |
| 331127317473 | | 55 (March 20) | | | | | | | |
| COCC 0 (COLOR) (COCC) COCC (COCC) (C | | 5555516565 | 2.00000000 | SADAYA SE | | 507,000,000 | 3,448‡ | 3,60 | |
| N-PORTON NEWS | | | 3,164 | | | 3,308 | | | |
| OLDSMOBILE F-85 | 2,655 | | | | neses . | 1995 | | | |
| Cutlass | 2,775* | 2,816 | 2,838* | 2,947 | 18-4-8 | 3,092* | 3,149 | | |
| Cutlass Supreme | | 2,921 | 3,019 | 3,094 | (0 | | 3,440;; | 3,58 | |
| 4-4-2 | 3,124 | | 3,187 | | 3,378 2,741** 2,872 2,852†† | | | | |
| CHEVROLET Nova | 2,389 | 2,418 | 418 — — — — — 560 2,594 — — — | | | | | | |
| Chevelle 300 Deluxe | 2,531 | 2,560 | 2,594 | | | | 2,741** | | |
| Chevelle Malibu | | 2,640 | 2,673 | 2,745 | 1 | 2,872 | 2,852†† | 3,00 | |
| Chevelle Concours | | - 1400 c | | 2071//00/202 | | 12.0(45902) | ARESAS CORES AVAIL | 3,1 | |
| Chevelle Concours | | | | | 2 | | Garayani. | 3,24 | |
| PLYMOUTH Valiant 100 | 2,401 | 2,448 | | | | | | | |
| Valiant Signet | 2.547 | | | | | | | | |
| | 572S 18 | - 3/1/28 E | <u></u> | | | | | | |
| 270 (27) (27) (27) (27) (27) | 56475265 | 000000000000000000000000000000000000000 | | | | | 00-M12802 | 3,17 | |
| CHIEF CORP. | | letetor periodi | 565000000000000000000000000000000000000 | | | 11745-000-000 | - Posterior State - 1 | 3,33 | |
| THE CONTRACT CONTRACTOR CONTRACTOR | 100000000000000000000000000000000000000 | 100.00000000 | | | 0. 35-47 | A SOURCE OF THE SECOND | | | |
| TERRITORIA ESTEVENICO | 2,920 | Action in | | | 27 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1 | S | | | |
| Section 1997 | | 5-07-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1- | | | | | - 2 27 | | |
| | | | | | | S -1- 3 | | | |
| | | 2,644 | | 2 -0- 2 | | | | | |
| | | 530-21 | 2,766 | 22 | 1 | 2,959 | | | |
| | | | 3,209 | | | 3,402 | | | |
| Dart Swinger | | | 2,494 | | | | | - | |
| Dart Swinger 340 | | | 2,819 | | | 1 | (==20) 1 | 13-30 | |
| Coronet Deluxe | 2,640 | 2,675 | | | | | 3,008 | - | |
| Coronet 440 | 2,716 | 2,756 | 2,778 | V——— | 2 2 | 9 9 | 3,119 | 3,22 | |
| Coronet 500 | | 2,946 | 2,912 | () | | 3,052 | 3,263 | 3,37 | |
| Super Bee | 3,059 | | 3,121 | | | | | - | |
| Coronet R/T | | | | | | 3,643 | 7 | | |
| Charger | | | | 11 -1-1 11 | | 141.000 | | | |
| The state of the s | | | | | | | | | |
| and the second s | | | | | | | | | |
| AM. MOTORS Rambler 440 | | 2,334 | 2,412• | | | | 2,594 | | |
| Rebel | | 2,582 | 2,594 | | | | 2,915 | | |
| Rebel SST | | 2,682 | 2,696 | | | | 3,045 | | |
| Ambassador | | 3,014 | | % _1 2_0 | | | 20/4/17/00/17 | 7.00 | |
| Ambassador DPL | | 3,270 | 3,287 | (5 | | | 3,609 | | |
| FORD Falcon | 2,381 | 2,431 | | S -1- 3 | | · | 2,733 | | |
| Falcon Futura | 2,534/2,671 | 2,571 | —————————————————————————————————————— | 3.— | | (| 2,844 | | |
| Fairlane | | 2,561 | 2,572 | pi r is - % | | <u> </u> | 2,914 | 2,96 | |
| Fairlane 500 | | 2,641 | 2,699 | | 2,674 | 2,924 | 3,024 | 3,07 | |
| Torino | | 2,806 | 2,827 | | | | 3,180 | 3,23 | |
| Torino GT | | | 2,848 | n == 1 | 2,823 | 3,073 | | - | |
| Cobra | | | 3,189 | | 3,164 | | | 210 | |

KEY SPECIFICATIONS

MONTEGO CLASS

COMPACT-INTERMEDIATE CARS

| | E | XTERIO | R DIME | NSIONS | it | INTERIOR DIMENSIONS† | | | | | | | | STD. 6-CYL ENGINE | | | V-8 | NO. OF V-8 ENG |
|--|----------------|---------------|--------|-----------|----------|----------------------|------------|-------------|--------------|-------------|------------|--------------------------------------|------|----------------------|-----|---------------|-----|-------------------|
| (Dimensions are for 4-door Sedans unless otherwise noted) | Wheel- base | Ove Length | | Tre F. | ad R. | Head F. | Room R. | Leg I F. | Room R. | Hip I F. | Room R. | Usable Trunk Space (Cu.Ft.) | | Cubic Inch | НР | Cubic Inch | НР | |
| Comet (2-dr. Hdtp.) | 116 | 206.2 | 76.0 | 58.8 | 58.5 | 37.7 | 36,6 | 42.4 | 33.7 | 59.0 | 58.0 | 18.0 | 3206 | 250 | 155 | 302 | 220 | 5 |
| Montego | 116 | 206.2 | 76.0 | 58.8 | 58.5 | 38.6 | 37.4 | 42.4 | 36.0 | 58.0 | 59.5 | 18.0 | 3202 | 250 | 155 | 302 | 220 | 5 |
| MX (Sta. Wag.) | 113 | 204.0 | 76.0 | 58.8 | 58.5 | 38.6 | 39.2 | 42.4 | 34.5 | 59.5 | 59.5 | *85.2 | 3536 | 250 | 155 | 302 | 220 | 4 |
| Tempest (2-dr. Hdtp.) | 112 | 201.5 | 75.8 | 61.0 | 60.0 | 37.8 | 36.3 | 42.3 | 32.2 | 59,7 | 58.5 | 14.0 | 3575 | 250 | 175 | 350 | 265 | 2 |
| Tempest | 116 | 205.5 | 75.8 | 61.0 | 60.0 | 38.5 | 37.1 | 42.3 | 34.8 | 59.7 | 59.6 | 14.6 | 3595 | 250 | 175 | 350 | 265 | 2 |
| LeMans (4-dr. Hdtp.) | 116 | 205.5 | 75 8 | 61.0 | 60.0 | 38.0 | 36.9 | 42.6 | 34.8 | 59.4 | 59.6 | 14.6 | 3736 | 250 | 175 | 350 | 265 | 2 |
| GTO (2-dr. Hdtp.) | 112 | 201.5 | 75.8 | 61.0 | 60.0 | 37.5 | 36.2 | 42.5 | 31.6 | 59.7 | 58.3 | 14.0 | 3595 | - | - | 400 | 350 | 4 |
| Safari (Sta. Wag.) | 116 | 211.0 | 76.3 | 61.0 | 60.0 | 38.0 | 38.3 | 42.7 | 38.4 | 59.7 | 59.4 | *83.1 | 4051 | 250 | 175 | 350 | 265 | 1 |
| Special Deluxe | 116 | 204.7 | 75.6 | 59.0 | 59.0 | 38.6 | 37.3 | 41.8 | 35.0 | 58.3 | 59.4 | 13.5 | 3350 | 250 | 155 | 350 | 230 | 2 |
| Special Deluxe (Sta. Wag.) | 116 | 209.1 | 75.6 | 59.0 | 59.0 | 38.4 | 38.3 | 41.5 | 34.8 | 59.8 | 59.2 | *83.6 | 3850 | 250 | 155 | 350 | 230 | 2 |
| Skylark | 116 | 204.7 | 75.6 | 59.0 | 59.0 | 38.6 | 37.3 | 41.6 | 34.8 | 59.6 | 59.4 | 13.5 | 3350 | 250 | 155 | 350 | 230 | 2 |
| Skylark Custom | 116 | 204.7 | 75.6 | 59.0 | 59.0 | 38.3 | 37.3 | 41.7 | 34.8 | 59.6 | 59.4 | 13.5 | 3550 | 250 | 155 | 350 | 230 | 2 |
| GS-400 (2dr. Hdtp.) | 112 | 200.7 | 75.6 | 59.4 | 59.0 | 37.5 | 36.3 | 41.7 | 32.2 | 59.4 | 58.0 | 13.7 | 3550 | - | - | 350 | 280 | 2 |
| Sportswagon | 121 | 214.1 | 75 6 | 59 4 | 59.0 | 38.0 | 39.9 | 41.6 | 37.8 | 59.4 | 59.2 | •96.1 | 4200 | 1- | - | 350 | 230 | 2 |
| F-85 (2-dr, Sedan) | 112 | 201.9 | 76.2 | 59.0 | 59.0 | 38.2 | 36.4 | 41.5 | 32.5 | 59.5 | 58.3 | 17.0 | 3221 | 250 | 155 | 350 | 250 | 3 |
| Cutlass | 116 | 205.9 | 76.8 | 59.0 | 59.0 | 38.8 | 37.4 | 42.8 | 35.0 | 59.5 | 59.3 | 17.0 | 3300 | 250 | 155 | 350 | 250 | 3 |
| Cutlass (Sta. Wag.) | 116 | 212.6 | 77.2 | 59.0 | 59.0 | 38.9 | 38.3 | 42.8 | 35.0 | 59.8 | 59.5 | *86.1 | 3701 | 250 | 155 | 350 | 250 | 2 |
| 4-4-2 (2-dr. Hdtp.) | 112 | 201.9 | 76.2 | 59.0 | 59.0 | 38.2 | 36.3 | 41.5 | 34.1 | 59.7 | 53.0 | 17.0 | 3675 | - | _ | 400 | 350 | 1 |
| Vista-Cruiser | 121 | 217.6 | 77.2 | 59.0 | 59.0 | 38.4 | 40.3 | 42.8 | 38.0 | 59.4 | 59.2 | •100.5 | 4101 | 2-1 | - | 350 | 250 | 3 |
| Corvair (2-dr Hdtp.) | 108 | 183.2 | 70.0 | 55.0 | 56.6 | 37.9 | 36.5 | 40.9 | 30.7 | 56.1 | 54.9 | 7.0 | 2555 | 164 | 95 | - | - | 0 |
| Nova | 111 | 189.4 | 72.4 | 59.0 | 58.9 | 38.8 | 37.2 | 41.6 | 35.3 | 56.2 | 56.1 | 12.4 | 2990 | •230 | 140 | 307 | 200 | 3 |
| Chevelle 300 Deluxe | 116 | 200.9 | 76.0 | 59.0 | 59.0 | 38.5 | 37.1 | 42.8 | 35.1 | 59.5 | 59.4 | 12.8 | 3205 | 230 | 140 | 307 | 200 | 7 |
| Nomad (Sta. Wag.): | 116 | 207.9 | 76.0 | 59.0 | 59.0 | 38.6 | 38.9 | 42.8 | 35.1 | 59.5 | 59.4 | *84.0 | 3505 | 230 | 140 | 307 | 200 | 2 |
| Dart | 111 | 195.4 | 69.6 | 57.4 | 55.6 | 38.3 | 37.3 | 41.7 | 35.7 | 57.2 | 57.2 | 14.1 | 2900 | 170 | 115 | 273 | 190 | 2 |
| Coronet | 117 | 206.6 | 76.7 | 59.5 | 58.5 | 38.6 | 37.4 | 41.9 | 36.3 | 60.4 | 60.4 | 17.4 | 3184 | 225 | 145 | 318 | 230 | 3 |
| Charger (2-dr. Hdtp.) | 117 | 207.9 | 76.7 | 59.5 | 58.5 | 37.4 | 36.4 | 41.4 | 34.1 | 60.6 | 60.4 | 11.4 | 3454 | 225 | 145 | 318 | 230 | 3 |
| Coronet (Sta. Wag.) | 117 | 210.0 | 76.5 | 59.5 | 59.2 | 39.4 | 39.3 | 41.9 | 36.3 | 60.4 | 60.4 | *84.9 | 3733 | 225 | 145 | 318 | 230 | 3 |
| Charger R/T (2-dr. Hdtp.) | 117 | 207.9 | 76.7 | 59.5 | 58.5 | 37.4 | 36.4 | 41.4 | 34.1 | 60.6 | 60.4 | 11.4 | 3735 | 7.—2 | - | 440 | 375 | 2 |
| Valiant | 108 | 188.4 | 69.6 | 57.4 | 55.6 | 38.4 | 37.3 | 41.7 | 34.5 | 57.2 | 57.2 | 14.5 | 2855 | 170 | 115 | 273 | 190 | 2 |
| Belvedere | 116 | 202.7 | 76.4 | 59.5 | 58.5 | 38.6 | 37.4 | 41.9 | 36.3 | 60.4 | 60.4 | 15.9 | 3143 | 225 | 145 | 318 | 230 | 3 |
| Belvedere (Sta.Wag.) | 117 | 208.0 | 76.4 | 59.5 | 59.2 | 39.4 | 39.3 | 41.9 | 36.3 | 60.4 | 60.4 | *84.9 | 3618 | 225 | 145 | 318 | 230 | 3 |
| Road Runner (2-dr. Hdtp.)* | 116 | 202.7 | 76.4 | 59.9 | 59.2 | 37.3 | 36.7 | 41.8 | 33.1 | 60.6 | 60.6 | 15.6 | 3160 | - | _ | 383 | 335 | 2 |
| Rambler | 106 | 181.0 | 70.8 | 56.0 | 55.0 | 39.0 | 36.6 | 41.9 | 35.0 | 57.4 | 57.1 | 12.0 | 2715 | 199 | 128 | 290 | 200 | 2 |
| Rambler 440 (Sta. Wag.) | 106 | 181.0 | 70.8 | 56.0 | 55.0 | 39.3 | 37.0 | 41.9 | 35.5 | 57.4 | 57.1 | •66.0 | 2863 | 199 | 128 | 290 | 200 | 2 |
| Rebel | 114 | 197.0 | 77.2 | 60.0 | 60.0 | 39.8 | 37.8 | 42.0 | 38.6 | 60.3 | 60.4 | 18.2 | 3170 | 232 | 145 | 290 | 200 | 3 |
| Rebel (Sta. Wag.) | 114 | 198.0 | 77.2 | 60.0 | 60.0 | 39.8 | 39.6 | 42.0 | 38.6 | 60.3 | 60.4 | •91.1 | 3438 | 232 | 145 | 290 | 200 | 3 |
| Ambassador | 122 | 206.5 | 77.2 | 60.0 | 60.0 | 39.8 | 37.8 | 42.0 | 38.6 | 60.3 | 60.4 | 18.2 | 3357 | 232 | 155 | 290 | 200 | 3 |
| Ambassador (Sta. Wag.) | 122 | 207.0 | 77.2 | 60.0 | 60.0 | 39.8 | 38.6 | 42.0 | 38.6 | 60.3 | 60.4 | •99.1 | 3819 | 232 | 155 | 290 | 200 | 3 |
| Falcon | 111 | 184.3 | 73.2 | 58.8 | 58.5 | 38.8 | 38.8 | 42.4 | 33.8 | 59.5 | 59.5 | 12.2 | 2852 | 170 | 100 | 302 | 220 | 1 |
| Futura (2-dr. Sedan) | 111 | 184.3 | 73.2 | 58.8 | 58.5 | 38.8 | 38.8 | 42.4 | 33.8 | 59.5 | 58.3 | 12.2 | 2818 | 200 | 115 | 302 | 220 | 1 |
| Falcon (Sta. Wag.) | 113 | 198.7 | 73.2 | 58.8 | 58.5 | 38.6 | 38.6 | 42.4 | 34.5 | 59.5 | 59.5 | *85.2 | 3252 | 200 | 115 | | 220 | 1 |
| Fairlane | 116 | 201.1 | 74.8 | 58.8 | 58.5 | 38.6 | 37.4 | 42.4 | 36.0 | 59.5 | 59.5 | 16.2 | 3154 | 250 | 155 | | 220 | 4 |
| Torino (2-dr. Hdtp.) | 116 | 201.1 | 74.6 | 58.8 | 58.5 | 37.7 | 36.6 | 42.4 | 33.7 | 59.0 | 58.0 | 16.2 | 3169 | 250 | 155 | | 220 | 4 |
| Torino Squire (Sta. Wag.) | 113 | 203.9 | 74.6 | 58.8 | 58.5 | 38.6 | 39.2 | 42.4 | 34.5 | 59.5 | 59.5 | *85.2 | 3259 | 250 | 155 | | 220 | 4 |


*Station Wagon Cargo Volume. †Dimensions in Inches. •4-cyl. 90-hp Std. ‡Concours and Greenbrier wagons identical except 94.0 cu. ft. cargo volume, 3560 lbs. curb weight for Greenbrier, 3660 lbs. for Concours 2-seat wagons. *GTX identical except lbs. curb weight, 375-HP, 440 V-8 only engine available.

EXTRA-VALUE FEATURES MONTEGO CLASS INTERMEDIATE CARS

Why Montego gives you more car for the money!!!

- Die-cast front grille an intermediate-class exclusive—provides classic styling combined with a unique look of luxury.
- Choice of two hardtop roof lines, formal or fastback styling—an intermediate-class exclusive.
- Hardtop styling is available in base series—an intermediate-class exclusive.
- 2-Door hardtop models have 4 inches longer wheelbase than GM competition.
- Greater overall length than GM competition.
- Turn signals and parking lights recessed into front bumper for greater protection.
- Exclusive bright belt molding.
- Deluxe bright curb molding.
- Bright drip cap molding.
- Bright window retainer molding.
- Ventless side windows to complement hardtop styling and provide unobstructed view.
- Power-operated convertible top at no extracost.

- Exclusive teakwood-tone instrument cluster for greater luxury.
- Contour foam-padded (2½") front seat cushion for luxurious comfort at no extra-cost.
- Comfortable, fully padded 15-inch armrests have recessed squeeze-type door release handles that are more convenient to operate, more difficult to open accidentally.
- Exclusive Brougham luxury with rim-blow steering wheel.
- Nylon color-keyed carpeting.
- Unit-built body with corrosion-resisting galvanized steel in underbody structure—resists corrosion twice as effectively as conventional steel.
- Unique torque-box feature helps absorb road shocks and keeps vibration from entering passenger compartment.
- More luggage compartment capacity and lower lift-over height for easier loading and unloading.
- Exclusive lighted ignition switch.
- Dual horns at no extra-cost.
- Front seat back release latches are more conveniently located.
- Exclusive reversible key system permits correct key insertion every time.



An Introduction Day survey, in which a cross-section of showroom traffic was asked to rate the Montego, Tempest and Coronet, proved that MONTEGO LEADS THE WAY in every important buying motive.

- ★ Highest rating on overall opinion.
- ★ Highest rating on overall exterior appearance.
- ★ Highest rating on overall interior appearance.
- ★ Highest rating on front-end styling.
- Highest rating on instrument panel appearance.
- ★ Highest rating on quality of workmanship.
- * Highest rating on the most luxurious.





MERCHANDISING DEPARTMENT

NOTE: The information contained in this publication was carefully prepared from authoritative sources and is assumed accurate at the time of printing. However, accuracy cannot be guaranteed. Lincoln-Mercury prices and equipment are subject to change without notice.